

3S Anti-Slip Solution 3S止滑劑



簡易 · 安全 · 止滑

- | | | |
|--|--|---|
| 01 Bathroom Tile
Anti-Slip Solution
浴室磁磚專用 | 10 Pebble Paving
Anti-Slip Solution
卵石天然小石頭專用 | 18 Polished Homogenous Tile
Anti-Slip Solution
拋光石英磚/玻化磚專用 |
| 02 Marble
Anti-Slip Solution
大理石專用(雲石) | 11 Restaurant Kitchen Ceramic Tile
Anti-Slip Solution
餐廳廚房磁磚專用 | 19 Cement
Anti-Slip Solution
水泥專用 |
| 03 Bathroom Marble
Anti-slip Solution
浴室大理石專用 | 12 Pool Side Walkway Ceramic Tile
Anti-Slip Solution
游泳池畔走道磁磚專用 | 20 Terrazzo
Anti-Slip Solution
水磨石專用 |
| 04 Outdoor Ceramic Tile
Anti-Slip Solution
戶外磁磚專用 | 13 Granite Mosaic
Anti-Slip Solution
花崗石碎片拼貼專用 | 21 SP2 Anti-Slip Solution
SP2 |
| 05 Stone
Anti-Slip Solution
岩石專用 | 14 Rough Granite
Anti-Slip Solution
粗糙面花崗石專用 | 22 Ceramic Tile #1
Anti-Slip Solution
磁磚1號 |
| 06 Granite
Anti-Slip Solution
花崗石專用(麻石) | 15 Antique Style Tile
Anti-Slip Solution
復古磁磚/仿古磁磚專用 | 23 Ceramic Tile #2
Anti-Slip Solution
磁磚2號 |
| 07 Driveway
Anti-Slip Solution
車道專用 | 16 Mosaic Ceramic Tile
Anti-Slip Solution
馬賽克磁磚專用 | 24 Ceramic Tile #3
Anti-Slip Solution
磁磚3號 |
| 08 Underwater
Anti-Slip Solution
水底專用 | 17 Glass Mosaic Tile
Anti-Slip Solution
玻璃馬賽克磚專用 | 25 Ceramic Tile #4
Anti-Slip Solution
磁磚4號 |
| 09 Homogenous Tile
Anti-Slip Solution
石英磚專用 | | 26 Ceramic Tile #5
Anti-Slip Solution
磁磚5號 |
| | | 27 Anti-Slip Coating
防滑塗料 |




地面防滑專業施工

WHOLESALE | AFFILIATE | DISTRIBUTOR | AGENT
批發 | 加盟 | 經銷 | 代理



香港、澳門、東南亞總代理
Hong Kong, Macau & South-East Asia Sole Agent
成發建築材料有限公司 SHING FAT BUILDING MATERIALS LTD.
香港九龍彌敦道580G-K號彌敦中心18字樓1803-1806室
Unit 1803-06, 18/F., Nathan Centre, 580G-K, Nathan Rd., Kln., H.K.
電話: 2399 1138 / 2787 1622 傳真: 2397 3998
電郵: 3stl@sfgroup.com.hk 網址: www.sfgroup.com.hk

東莞市虎門成發匯億建材貿易部
東莞市虎門鎮白沙四村工業區五棟綜合樓1號
電話: (86)769-8519 9622
傳真: (86) 769-8551 4566
電郵: dghtoli@163.com



Corporate Philosophy 企業理念

3S Anti-Slip Solution is the final outcome of combining real world situation and idealized concept. This product consolidates 5 main characteristics: simple, safe, slip-free, environmentally friendly and ability to clean.

3S Anti-slip Solution is the global leader in anti-slip technology. It is an user and environmentally friendly product which contributes to a slip-free environment to the international community.

To fulfill the different needs and requirements of customers, the full range of anti-slip solution can be custom made and applied to a wide-variety of stones and tiles.

After application, the friction coefficient of flooring is able to reach international safety standards - R12 or above. There are no emissions of volatile toxic gases or hazardous substances during the application process, rendering it completely harmless to human health and the environment.

3S Anti-slip Solution has integrated the green product concept and complies with the environmental protection standard requirements. The energy consumption rate, rate of damages and cracking, CO2 emission rate are zero during and after the application.

3S止滑劑是融合了實際環境與理想化概念的產品。簡易、安全、止滑、環保及清潔作用融合一體。

3S止滑劑防滑技術稱霸全球，為社會大眾提供安全環境與簡易使用的好商品。

可針對不同客戶的需求，可應用在各式各樣的石材及地磚上。

施工後，地面止滑係數達到國際安全標準R12以上，不存在揮發性有毒氣體或滲出有害物質的問題，對人體健康及環境完全無害。

3S止滑劑符合環保要求、融合綠化理想。施工中及施工後的能源消耗、破損率、裂化率及CO2排出量等等都為零數據。

Applicable Locations & Floor Materials 適用地点&地材

Home, community, apartment, building, restaurant, hot spring resort, hotel, motel, swimming pool, sauna bath, gym, school, hospital, kindergarten, park, plaza, plant, office, arcade...any place

Passage, pace, sidewalk, driveway, hill, bathroom, shower, balcony, staircase, living room, kitchen, concourse, dining area, fountain, lobby...any place that people might fall could get good anti-slip effect.

All kinds of tiles, mosaic, homogenous tile, polished homogenous tile (polished vitrified tile), polished stone, granite, natural stones (rock, small rock, jade, cobblestone, stone), glass ball, glass mosaic, enamels, ceramic tile, pebble, marble (fossil), cement (finishing cement, hardening cement), terrazzo...are applicable

The Anti-Slip Coating is applicable to metal, wood and plastic such floor materials.

家庭、社區、公寓、大樓、餐廳、溫泉會館、飯店、旅館、汽車旅館、游泳池、三溫暖、桑拿浴、健身房、學校、醫院、幼稚園、遊樂園、公園、廣場、工廠、機關、騎樓...等任何場所。

通道、步道、走道、車道、斜坡道、浴室、沐浴間、陽台、樓梯、客廳、廚房、食堂、用餐區、噴水池、大廳...等任何有可能滑倒的地點，都能有效的防滑。

各類磁磚、馬賽克磁磚、石英磚(透心磚)、拋光石英磁磚(玻化磚)、拋光石材、花崗岩(花崗石)、天然石(岩石、小石頭、玉石、鵝卵石、石頭)、玻璃珠、玻璃馬賽克、琺瑯、陶磚、坭石(水坭石)、大理石(化石)、水泥(粉光水泥、硬化處理水泥)、水磨石(磨石子)等任何地材都能施工。

防滑塗料適用於金屬、木材、塑膠等地材。

Application Steps 施工步驟

Strip Washer Applications 兔毛刷施工

1. Floor Cleaning 地板清潔
2. Wipe Anti-Slip Solution 塗抹防滑劑
3. Wait 10 minutes 靜置10分鐘
4. Flushing 沖水
5. Completion 完工



Hand Brush Applications 握把刷施工

1. Floor Cleaning 地板清潔
2. Wipe Anti-Slip Solution 塗抹防滑劑
3. Wait 10 minutes 靜置10分鐘
4. Flushing 沖水
5. Completion 完工



Functions & Features 性能&特点

- The anti-slip effect on wet floor is very good.
 - Remain original appearance and tincture (except few materials)
 - The anti-sip effect will not disappear while the floor is clean.
 - Apply to various floor materials and locations.
 - There are no particular restrictions in terms of cleaning a treated floor, simply keep it free of dirt and oil.
 - Do not wax to the applied floor because wax will plug the micro anti-slip holes and remove their anti-slipping effect.
- 地面潮濕有水時防滑效果非常高。
 - 不改變原有的美觀與光澤(少數石材除外)。
 - 在地面維持乾淨狀態下，防滑效果不會消失。
 - 適用於各種地材與場所。
 - 施工後的地面清潔方法，沒有特別限制，只需保持地面無油污即可。
 - 防滑地面不可使用含蠟的清潔劑，因蠟會阻室微米防滑孔使地面失去防滑效果。

Technical Training 施工技術培訓



Green Environment 綠色環保

There is no residual substance after application. Therefore, neither peeling nor toxic material volatilization and leakage problem exists. It is harmless to human health.

There is no energy consumption, wastage material and CO2 emission during and after the application. The rate of damage and deterioration of the flooring is zero.

The discharge of waste fluid after application is in line with the national drainage standards in Japan.

施工後，地材表面沒有任何殘留物質，因此不存在脫落的問題。也不存在揮發、滲出有害物質的問題，對人體健康完全無害。

施工中施工後的能源消耗、廢材產出、破損率、劣化率、CO2排出量等都為零。

施工後的廢液排放符合日本國排水標準。

Anti-Slip Theory 防滑原理

Apply transparent Anti-Slip Solution to form numerous invisible micron apertures on floor surface.

Increase the ground abrasive coefficient and vacuum suction effect to generate the anti-slip effect.

The friction coefficient of flooring after application of the 3S Anti-Slip Solution reaches safety standards.

使用透明水性防滑劑，在地材表面形成無數隱形微米止滑孔。

增加地面摩擦係數與真空吸盤效應產生防滑效果。

施工後地面防滑係數達到安全標準。

Professional Application 專業施工

World leading 3S Anti-Slip Solution Manufacturer
World leading team on applying 3S Anti-Slip Solution

Extreme Simple Application Process

Apply the 3S Anti-Slip Solution and flush the floor

Extreme Simple Application Tool

No mechanical tool is required. Simply apply with strip washer only

Highly Efficient

Simple, fast, safe and beautiful application

Guarantee

Low price & high quality, cheap and fine

Achieve

Integrating our business goal with social responsibility successfully

全球頂尖的防滑劑生產製造商。
地面防滑施工技術領先全球。



Professional Application 專業施工

施工工具極簡化

無機械工具、只使用免毛刷。

高 效

簡單、快速、安全、美觀的施工。

確 保

低價格、高品質、物美價廉的可能性

達 成

兼顧「社會責任」與「企業目標」的理念

Anti-Slip Application 防滑施工



Test Report 檢驗報告

